This work is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike License</u>. Your use of this material constitutes acceptance of that license and the conditions of use of materials on this site.



Copyright 2011, The Johns Hopkins University and Judith Bass. All rights reserved. Use of these materials permitted only in accordance with license rights granted. Materials provided "AS IS"; no representations or warranties provided. User assumes all responsibility for use, and all liability related thereto, and must independently review all materials for accuracy and efficacy. May contain materials owned by others. User is responsible for obtaining permissions for use from third parties as needed.





Section C

Disorders of Childhood

Photo source: morgueFile.com. Retrieved from http://mrg.bz/41qWzG

Major Disorders of Youth: DSM-IV-TR

- Oppositional defiant disorder
- Conduct disorder
- Separation anxiety disorder
- Mental retardation/learning disorders
- Adolescent substance abuse

Oppositional Defiant Disorder

- Pattern of negativistic, hostile, and defiant behavior lasting at least six months (need four)
 - Often loses temper
 - Often argues with adults
 - Often actively defies or refuses to comply with adults' requests or rules
 - Often deliberately annoys people
 - Often blames others for his/her mistakes or misbehavior
 - Often touchy or easily annoyed by others
 - Often angry and resentful
 - Often spiteful or vindictive

Conduct Disorder

- Need three or more in past six months
 - Aggression to people and animals
 - Destruction of property
 - Deceitfulness or theft
 - Serious violations of rules

Separation Anxiety Disorder

- Distress when separated from home or major attachment figure
- Persistent and excessive worry about losing or harm befalling caregiver, or being alone
- Persistent reluctance or refusal to ...
 - Attend school
 - Go to sleep
- Nightmares
- Somatic complaints