


This work is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike License](https://creativecommons.org/licenses/by-nc-sa/4.0/). Your use of this material constitutes acceptance of that license and the conditions of use of materials on this site.



Copyright 2009, The Johns Hopkins University and John McGready. All rights reserved. Use of these materials permitted only in accordance with license rights granted. Materials provided "AS IS"; no representations or warranties provided. User assumes all responsibility for use, and all liability related thereto, and must independently review all materials for accuracy and efficacy. May contain materials owned by others. User is responsible for obtaining permissions for use from third parties as needed.



JOHNS HOPKINS  
BLOOMBERG  
SCHOOL *of* PUBLIC HEALTH

## Lecture 3h: Practice Problems

---

John McGready  
Johns Hopkins University

# Practice Problems

1. In a study of patients hospitalized after myocardial infarction and treated with streptokinase, 2 of 15 patients died within 12 months.
  - a) Calculate by hand an approximate 95% CI for the one-year mortality rate (proportion) using the CLT based approach
  - b) How does the interval in part a compare to the exact interval estimated by Stata?

## Practice Problems

2. Devise a one sentence “recipe” for calculating an approximate 95% CI for a parameter, whether it be a proportion or a mean (assume a large sample) using the results from a single random sample.